## Response to Comments on Voting Draft Standard published November 15th, 2012 Volume II

Member Name	Standard Section	Comment	Ruling	Comments
Marty Hackman	General Recommended Language	As an assessor, the fact that ISO 17025 clauses are only referenced but not in the Standard makes my job almost impossible to perform since I now must have two sets of documents before me and be able to correlate the two sets of documents to properly evaluate the laboratory. Each ISO 17025 reference must be spelled out.	Non-persuasive	The Standard is available with ISO language on the TNI website for purchase. We cannot post Standard with ISO language for review on website.
Craig Sprinkle	3.29	This definition is too restricting for FSMO in that it refers to "performance under controlled conditions". I suggest		
	Recommended Language	the following revised definition (similar to definition in Section 3.11 of Vol I: Proficiency Testing: A means to evaluate an organization's performance relative to a set of criteria, through testing or measurement of unknown samples provided by a Proficiency Testing Provider.	Non-persuasive	Definition left to match other definitions of PT within TNI
Carl Kircher	3.30	The definition for "Proficiency Testing Provider" contains poor English language wording, and it introduces a new acronym (FOPT) that has not been defined within the FSMO or NEFAP program. Also, since the acronym PTP appears later in Clause 7.15.2, PTP should be added to the definition here.	Persuasive	Changes made as recommended
	Recommended Language	3.31: Proficiency Testing Provider (PTP): Any private party or government entity accredited by a TNI recognized PTPA that meets the stringent criteria to produce and distribute PT samples, evaluate study results against published performance criteria, and report the results to FSMOs, ABs, and its PTPA.		
Bob Shannon	3.33*	In the definition of Measurement, suggest changing "by comparison to a standard unit" to "by comparison to a standard, where available a National Standard", Consider adding a note similar to that in 8.2.2 of volume 2. NOTE: Traceability of measurement results should be referenced to National or International Standards where applicable.	Persuasive	Committee agreed to look at the definition and revise. Preference would be to use ISO/IEC definition if available.
		Further, this definition seems to be imprecise. The definition reads: " the dimensions, quantity, : capacity, or other characteristic of a thing or event." Suggest replacing "thing or event" with the term "measurand".		
Mike Miller	3.33* Recommended Language	Air, water, soil, microbes, molecules, atoms are not usually considered things. : Thing = inanimate object Substance= a species of matter	Persuasive	
Mike Miller	4.1.1	period in middle of sentence, Seek misspelled The accreditation body shall seekThe NELAC Institute, who	Persuasive	Seek is spelled correctly and period is actually a comma which is appropriate in ISO version, those changes were not in published non-ISO version
Carl Kircher	4.3.2.1	The proposed changes to this clause are confusing.		changes were not in published non-100 version
		The accreditation body, within the scope and applicability of its policies and procedures and, for government ABs, its applicable rules and regulations, shall also establish one or more committees for assistance	Persuasive	Agreed and change made
Susan Butts	4.5.1 Recommended Language	includes two notes. These notes use the word "shall". If these are to be enforceable requirements, they should not be notes, but be written as part of the standard.	Persuasive	Committee felt that neither note belonged in Standard. Change made to remove bothe Note 1 and Note 2 from Standard
Randy Querry	5.2 NOTE Recommended Language	Language in the note: Reference to ISO/IEC 9001 needs to be amended to just ISO 9001.	Persuasive	Agreed and change made
Mike Miller	5.3.2(b)	Add following language: : of completion of the review and send documentation to the AB accreditor.	Persuasive	Committee believes suggested language would be redundant as sending to accriditor is implied already. However change was made to add "send documentation to NEFAP"
Craig Sprinkle	6.2.6.1(iv) Recommended Language	There is a missing verb in the qualifying sentence? Be judged proficient by the accreditation body.	Persuasive	Change had already been made to Standard with ISO language. Change did not get copied to non-ISO document posted
Carl Kircher	6.2.6.2 (b)	The proposed new language refers to a "TNI approved Basic Assessor Training Course." To me knowledge, there are currently no such TNI approved courses. Have the standards for TNI approval of training courses been formulated? Do these standards need to go through the Consensus Standard Development process?	Persuasive	Change made as recommended
	Recommended Language	" This training program requires assessors to participate in an Assessor Basic Training Course, including attainment of a passing score on the written examination for the course."		
Craig Sprinkle	7.1.3.2.1 NOTE Recommended Language	* Spelling errors	Persuasive	Change had already been made to Standard with ISO language. Change did not get copied to non-ISO document posted
Bob Shannon	7.1.3.2.1 NOTE Recommended Language		Persuasive	Change had already been made to Standard with ISO language. Change did not get copied to non-ISO document posted
Mike Miller		Program list was deleted from 7.1.3.1.	Persuasive	Removed reference to specific programs and insterted term "regulatory" before programs

## Response to Comments on Voting Draft Standard published November 15th, 2012 Volume II

Member Name	Standard Section	Comment	Ruling	Comments
Carl Kircher	7.2.1.1.1(i)	An editorial change is needed to add an apostrophe, since FSMO is used in the possessive case in the proposed		
Carl Kircher	7.2.1.1.1(1)	new language.	Persuasive	Agreed and change made
	Recommended Language:	a description of the FSMO's proficiency testing program, and copies of the results of the proficiency testing performed, if applicable:		· · · · · · · · · · · · · · · · · · ·
		The proposed change refers to "this Standard." I interpret this Standard to be the Volume 2 document that is		
Carl Kircher		being reviewed. However, the FSMO is being assessed against the Volume 1 standard rather than this volume		Committee originally voted non-persuasive at open
		that pertains to the AB.	Persuasive	meeting but reconsidered on subsequent conference
	Recommended Language:	"		call and changed as recommended
		" concerning the FSMO's accreditation status and conformance to the FSMO Volume 1 Standard." The proposed change refers to "this Standard." I interpret this Standard to be the Volume 2 document that is		
Carl Kircher	7.7.3.1(a)	being reviewed. However, the FSMO is being assessed against the Volume 1 standard rather than this volume		Committee originally voted non-persuasive at open
Garranoner	111.0.1(a)	that pertains to the AB.	Persuasive	meeting but reconsidered on subsequent conference
	Recommended Language:	" for determining compliance with the FSMO Volume 1 Standard, either at"		call and changed as recommended
		The proposed change refers to "this Standard." I interpret this Standard to be the Volume 2 document that is		
Carl Kircher	7.7.6.1(g)	being reviewed. However, the FSMO is being assessed against the Volume 1 standard rather than this volume		Committee originally voted non-persuasive at open
		that pertains to the AB.	Persuasive	meeting but reconsidered on subsequent conference
	Recommended Language:	(g) "of reasonable duration sufficient to demonstrate compliance with the FSMO Volume 1 Standard,		call and changed as recommended
	Recommended Language.	dependent upon a balance of "		
O a d Kinahaa	7700-)	The proposed change refers to "this Standard." I interpret this Standard to be the Volume 2 document that is		Committee existently usted non-nerousely a stonen
Carl Kircher	7.7.6.2 c)	being reviewed. However, the FSMO is being assessed against the Volume 1 standard rather than this volume	Persuasive	Committee originally voted non-persuasive at open meeting but reconsidered on subsequent conference
		that pertains to the AB.	reisuasive	call and changed as recommended
	Recommended Language:	"responding to knowledge that the FSMO is no longer in compliance with the FSMO Volume 1 Standard."		car and changed as recommended
	70444	7.8.1.1 a) includes a note. This note uses the word "must". If this is to be an enforceable requirement, it should		
Susan Butts	7.8.1.1(a)	not be a note, but be written as part of the standard.	Persuasive	Changed "must" to "should" and left as a note
	Recommended Language:	N/A		-
		The opening 3 paragraphs and NOTE 1 have some incorrect applications of English, which lead to confusion.		
Carl Kircher	7.9.2.1.2	Also, a new acronym "NEFAP" appears, which has not been defined. Does it need to appear in the standard at		
		all?		
		Particular and the family is used by march former of Association, Destination, and a to initiate an		
		Preliminary accreditation is used by newly formed Accreditation Bodies in order to initiate an accreditation program. It is recognized that new ABs <delete comma=""> may need additional time to</delete>		
		establish a full program, and these new accreditation bodies may issue preliminary accreditation status to		
		its applicants. Accreditation Bodies seeking recognition in the applicable TNI Program shall be	Persuasive	Removed reference to TNI NEFAP Program
	Recommended Language:	able to grant a preliminary accreditation status to FSMO's who meet requirements outlined below if an on-		
		site assessment cannot be conducted in a reasonable timeframe as listed below in section c. After		
		two years of operation, the accreditation body must not issue preliminary accreditation since the		
		Accreditation Body's program must be fully established within that timeframe. NOTE 1: The AB is		
		given time with this clause to obtain applicants, perform a document review of the applicant's information		
		and prepare for the on-site assessment.		
Carl Kircher	70212(h)	There is a mis-spelling of "competency" in the proposed new language. In addition, there is a reference to ISO		
Carr Kircher	7.9.2.1.2 (b)	17025 clauses 5.9.1(a) through (e) but no mention to clauses (f) and (g) that are proposed for addition in the FSMO Volume 1 standard.		
		(b) Preliminary accreditation may be granted in the event the FSMO completes all the accreditation		Reworded section to include letters (f) and (g),
		requirements, except for the successful demonstration of competency. During the preliminary period, in	Persuasive	removed reference to ISO/IEC 17025 and instead
	Become de de la company	the absence of available proficiency testing or other means of demonstrating competency, the AB shall		referenced Volume I
	Recommended Language:	verify that the FSMO has conducted the quality control monitoring as detailed in ISO/IEC 17025:2005		
		5.9.1(a) through (e), and in the FSMO Volume 1 Standard clauses 5.9.1(f) and (g). <and (as="" 5.9.2="" i<="" td=""><td></td><td></td></and>		
		commented on the Volume 1 ballot)		
Susan Butts	7.9.2.1.2 NOTE 2	This note uses the word "must". If this is to be an enforceable requirement, it should not be a note, but be written		Agreed and language a requirement and thus added to
	Recommended Language:	as part of the standard.	Persuasive	section
	Recommended Language:			
		This clause refers to Clause 5 of this Standard, meaning the Volume 2 standard. It is the AB and not the FSMOs who have to implement the management system and guality manual requirements in this volume. Should this		
Carl Kircher	7.9.2.1.3 (f)	language be changed to the management system and quality manual requirements in the FSMO Volume 1		Committee believes the reference to sections here
		standard?	Non-persuasive	both apply to V2 alone and does not require adding the
	Berner de da encorre	(f) failure to implement a management system and quality manual as defined in Clause 4 in the FSMO		reference to the V1 Standard
	Recommended Language:	Volume 1 Standard.		
Carl Kircher		The proposed change refers to "this Standard." I interpret this Standard to be the Volume 2 document that is		
	7.9.2.1.4(a)	being reviewed. However, the FSMO is being assessed against the Volume 1 standard rather than this volume		Committee originally voted non-persuasive at open
		that pertains to the AB.	Persuasive	meeting but reconsidered on subsequent conference
		(a) " retained by the FSMO for those areas where it continues to meet the requirements of the FSMO		call and changed as recommended
	Recommended Language:	Volume 1 Standard."		0

## Response to Comments on Voting Draft Standard published November 15th, 2012 Volume II

Member Name	Standard Section	Comment	Ruling	Comments
Carl Kircher	7.9.2.1.4(b) (iii)	The proposed change refers to "this Standard." I interpret this Standard to be the Volume 2 document that is being reviewed. However, the FSMO is being assessed against the Volume 1 standard rather than this volume that pertains to the AB.	Persuasive	Committee originally voted non-persuasive at open meeting but reconsidered on subsequent conference
	Recommended Language:	Standard; and"		call and changed as recommended
Carl Kircher	7.9.2.1.4 NOTE 1	The proposed change refers to "this Standard." I interpret this Standard to be the Volume 2 document that is being reviewed. However, the FSMO is being assessed against the Volume 1 standard rather than this volume that pertains to the AB.	Persuasive	Committee originally voted non-persuasive at open meeting but reconsidered on subsequent conference
	Recommended Language:	NOTE 1: " allow a FSMO time to correct deficiencies or an area of non-compliance with the FSMO Volume 1 Standard."		call and changed as recommended
Carl Kircher	7.9.2.1.5(a)	The proposed change refers to "this Standard." I interpret this Standard to be the Volume 2 document that is being reviewed. However, the FSMO is being assessed against the Volume 1 standard rather than this volume that pertains to the AB.	Persuasive	Committee originally voted non-persuasive at open meeting but reconsidered on subsequent conference call. "this Standard" appears twice in this section, the first use is indeed referring to V2 and was left alone, the second use was referring to V1 and has been changed as suggested
	Recommended Language:	(a) " or measurement / analytical methods where it continues to meet the requirements of the FSMO Volume 1 Standard."		
Craig Sprinkle	7.9.2.1.2(b) Recommended Language:	Spelling errors	Persuasive	Spelling of two words was already corrected in ISO version, change had not been made in Non-ISO
Dah Channan	7.15.2*	N/A orthography - remove extraneous hyphen from accredit-ting		version
Bob Shannon	Recommended Language:		Persuasive	Change had already been made to Standard with ISO language. Change did not get copied to non-ISO
		See above		document posted
Randy Querry	7.15.2*	spelling correction suggestion- "accredit-ting"		Change had already been made to Standard with ISO
	Recommended Language:		Persuasive	language. Change did not get copied to non-ISO document posted
		The accreditation body providing accreditation		
Carl Kircher	7.15.2	The proposed change refers to "this Standard." I interpret this Standard to be the Volume 2 document that is being reviewed. However, the FSMO is being assessed against the Volume 1 standard rather than this volume that pertains to the AB. Also, a spelling correction is recommended.	Persuasive	Committee originally voted non-persuasive at open meeting but reconsidered on subsequent conference
	Recommended Language	The accreditation body accrediting to the TNI FSMO Volume 1 Standard shall use a TNI PTPA approved PTP for applicable and available PT samples.	. c.cadove	call and changed as recommended
Ron Mills	Section 8 Recommended Language:	Definition of CAB is not clearly stated	Non-persuasive	Definition of CAB is clearly stated in Volume II Section 3.10